Report run on: November 5, 2020 9:35:31 AM EST Version 6.0

User Selection Criteria

Handler ID: NCD003213907

Unit Detail: Current

Display Code Yes

Include Waste Codes: Yes

Report Results

Number of Handlers: 1 Number of Pages: 22

Report Description

This report lists all permitting data for facilities that meet the user selection criteria. Handlers with permit series information only are not included in this report. Unlinked Events are shown for each facility, as are Units that are not linked to either an Event or Unit Detail. The report is presented by Handler, Unit Detail, and Event and is sorted by Handler Name, Handler ID, Unit/Unit Detail Sequence Number, Event Best Date (descending), and Event Code.

Last Updated On: 09/11/2020

| List of Handler Univers | se Abbreviations |
|-------------------------|---|
| Generator | Indicates that the facility is a Large Quantity Generator (LQG), Small Quantity Generator (SQG), Very Small Quantity Generator (VSQG), or Not a Generator (N). |
| Transporter | Indicates that the facility Transports waste subject to RCRA regulations. ('Y' indicates that the facility is in this universe). |
| Operating TSDF | Indicates that the facility is a Treatment, Storage or Disposal facility subject to any type of enforcement. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| IC / EC in Place | Indicates that the facility has Institutional Controls / Engineering Controls in place. ('Y' indicates that the facility is in the respective universe). |
| EL Indicator (HE/GW) | Indicates that the facility has controls in place for Environmental Indicators. HE - Human Exposures ('+' indicates the exposure exists and is under control; '-' indicates the exposure exists and is not under control; 'N' indicates the exposure does not exist) |
| Permit Progress | Indicates that the facility is part of the Permitting/Closure/Post-Closure Progress universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| Permit Workload | Indicates that the facility is part of the Permit Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| Closure Workload | Indicates that the facility is part of the Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| Post-Closure Workload | Indicates that the facility is part of the Post-Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| Renewals Workload | Indicates that the facility is part of the Permit Renewals Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM) |
| GPRA Permits | Indicates that the facility is part of the GPRA Permit universe. ('+' indicates that the facility is on the GPRA Permit Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Permit Baseline) |
| GPRA Renewals | Indicates that the facility is part of the GPRA Renewals universe. ('+' indicates that the facility is on the GPRA Renewals Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Renewals Baseline and not meeting the goal; 'N' indicates that the facility is not on the GPRA Renewals Baseline) |
| Subject to CA | Indicates that the facility is part of the Subject to Corrective Action universe. ('Y' indicates that the facility is in this universe) |
| Subj CA TSD 3004 | Indicates that the facility is a Treatment, Storage or Disposal facility Potentially Subject to Corrective Action Under 3004(u)/(v). ('Y' indicates that the facility is in this universe) |
| Subj CA TSD Discr | Indicates that the facility is a Treatment, Storage or Disposal facility Subject to Corrective Action Under Discretionary Authorities. ('Y' indicates that the facility is in this universe) |
| Subj CA Non-TSD | Indicates that the facility is a Non-Treatment, Storage or Disposal facility where Corrective Action has been imposed. ('Y' - the facility is in this universe) |
| CA Workload | Indicates that the facility is part of the Corrective Action Workload universe. ('Y' - the facility is in this universe) |
| GPRA CA 2020 | Indicates that the facility is part of the GPRA Corrective Action universe ('Y' - the facility is in this universe) |

| Process | Codes | | |
|---------|---|------|---|
| Code | Description | Code | Description |
| D79 | UNDERGROUND INJECTION WELL DISPOSAL | D80 | LANDFILL |
| D81 | LAND APPLICATION | D82 | OCEAN DISPOSAL |
| D83 | SURFACE IMPOUNDMENT DISPOSAL | D99 | OTHER DISPOSAL |
| S01 | CONTAINER | S02 | TANK STORAGE |
| S03 | WASTE PILE | S04 | SURFACE IMPOUNDMENT STORAGE |
| S05 | DRIP PAD | S06 | CONTAINMENT BUILDING - STORAGE |
| S99 | OTHER STORAGE | SWM | SOLID WASTE MANAGEMENT UNIT |
| T01 | TANK TREATMENT | T02 | SURFACE IMPOUNDEMENT TREATMENT |
| T03 | INCINERATOR | T04 | OTHER TREATMENT |
| T80 | BOILER | T81 | CEMENT KILN |
| T82 | LIME KILN | T83 | AGGREGATE KILN |
| T84 | PHOSPHATE KILN | T85 | COKE OVEN |
| T86 | BLAST FURNACE | T87 | SMELTING, MELTING OR REFINING FURNACE |
| T88 | TITANIUM DIOXIDE CHLORIDE OXIDATION REACTOR | T89 | METHANE REFORMING FURNACE |
| T90 | PULPING LIQUOR RECOVERY FURNACE | T91 | COMBUSTION DEVICE IN RECOVERY OF SULFUR FROM ACID |
| T92 | HALOGEN ACID FURNACES | T93 | OTHER INDUSTRIAL FURNACES |
| T94 | CONTAINMENT BUILDING - TREATMENT | TRN | TRANSPORTER |
| X01 | OPEN BURNING/OPEN DETONATION | X02 | MECHANICAL PROCESSING |
| X03 | THERMAL UNIT | X04 | GEOLOGIC REPOSITORY |
| X99 | OTHER SUBPART X | | |

Report run on: November 5, 2020 9:35:31 AM EST

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

Page 4

| Legal C | odes | Operatin | g Codes |
|---------|---|----------|--|
| Code | Description | Code | Description |
| DL | DELISTED | AB | ABANDONED |
| EM | EMERGENCY PERMIT | AE | UNDER ALTERNATE ENFORCEABLE DOC FOR PC CARE |
| IS | INTERIM STATUS | BC | BEFORE CONSTRUCTION |
| IT | INTERIM STATUS TERMINATED | CA | REFERRED TO CORRECTIVE ACTION FOR CLOSURE |
| LI | LOSS OF INTERIM STATUS | CC | CLEAN CLOSED |
| LP | LOSS OF PRE-MOD AUTHORIZATION | CL | CLOSED BY CHANGING PROCESS TO < 90-DAY STORAGE |
| NN | NON-NOTIFIER/ILLEGAL | CL | CLOSED BY CHANGING PROCESS TO LESS THAN 90-DAY STORAGE |
| NR | NEVER REGULATED AS A TSD | CN | CONSTRUCTED, NOT YET MANAGING HAZARDOUS WASTE |
| PC | POST-CLOSURE PERMITTED | CO | COMPLETED POST-CLOSURE CARE |
| PI | PERMITTED | СР | CLOSED WITH WASTE IN PLACE |
| PM | PRE-MOD AUTHORIZATION | CR | CONDUCTING ACTIVITIES NOT REQUIRING A PERMIT |
| PR | PROPOSED | CV | CONVERTED BUT NOT RCRA CLOSED |
| PT | PERMIT TERMINATED/PERMIT EXPIRED, NOT CONTINUED | DC | DELAY OF CLOSURE |
| RD | RESEARCH, DEVELOPMENT, AND DEMONSTRATION PERMIT | IN | INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED |
| RP | REMEDIAL ACTION PLAN | NE | NEWLY TRANSFERRED |
| RQ | REQUESTED BUT NOT APPROVED | NO | NO LONGER REGULATED |
| RU | PERMIT-BY-RULE | OP | OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE |
| SR | STATE REGULATED | PF | PROTECTIVE FILER |
| TA | TEMPORARY AUTHORIZATION | SF | REFERRED TO CERCLA |
| TR | TRANSFER OF OWNERSHIP | UC | UNDER CONSTRUCTION |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION | | | | | County Name/Code: FORSYTH / NC067 | | | | | NCD003213907 |
|--|------------------|--|---|--|-----------------------------------|-------------|---|---------------|---|----------------|
| Location 3370 OLD LEXINGTON ROAD, BLDG. 46, WINSTON-SALEM, NC 27107 Mailing: 3370 OLD LEXINGTON ROAD, BLDG. 46, WINSTON-SALEM, NC 27107 | | | | | | | | | | Region: 04 |
| Mailing: 3370 OLD | LEXINGTON RO | DAD, BLDG. 46, WINSTON-SA | ALEM, NC 27107 | | | | | | | |
| Acti | vity NC | State Distric | ct: | No | n- | | Extract F | lag: Y | Activ | re Site: Y |
| Generator: Permit Progress: Permit Workload: Closure Workload: | VSQG LST- | Transporter: Post-Closure Renewals Workload: | N L | Operating TSDF: Subject to CA: Subj CA TSD 3004: Subj CA TSD Discr: | Y Y N | Subj (| C In Place: CA Non-TSD: /orkload: | N/N N Y | EI Indicator (HE / GPRA CA 2020: GPRA Permit: GPRA Renewals: | Y N |
| Unit Name | | Seq. | Process Code | Legal/Op. Status | # Units | Capacity | UOM | Capacity Type | Standard Permit | Effective Date |
| SOLVENT | | | | ITCC ot accept waste from off-s | 1 site generators | 180,000 | Gal/Day | | N | 05/17/1984 |
| Events | | waste Sec | | te Codes found | | | | Resp. Agency | Actual Date | Schedule Date |
| Lveins | | 6 | • | | ION-CLASS 1 M | 10D, PRIOR | | STATE | 10/23/1996 | Concaute Date |
| | | 6 Notes: | HQ - PC230OH THAN AC, CA, NAME CHANGE (LU | | UESTED RECE | IVED-MOD. C | THER | STATE | 04/18/1996 | |
| | | 1 Notes: | | - CLOSURE VERIFICATES ACCEPTED-CONT. SC | | | | STATE | 01/05/1994 | |
| | | 1 Notes: | NC - CL381 - E CLOSURE INSPEC | DATE INSPECTED TO C | ONFIRM CLOS | URE | | STATE | 12/15/1993 | |
| | | 1 Notes: | | CORRESPONDENCE TENSION OF CLOSURE | CERTIFICATIO | ON-NEW DATI | E-OCT 15, 199 | STATE 93 | 09/17/1993 | |
| | | 1 | HQ - CL360MC |) - CLOSURE PLAN APF | PROVED - PAR | ΓIAL CLOSUR | ιE | STATE | 03/17/1993 | |
| | | 1 Notes: | | SITE VISIT RMATION FOR THE RISH | K BASED CLOS | URE SENT TO | O EPA & EPID | STATE DEM. | 01/12/1993 | |
| | | 6 Notes: | | REVISIONS RECEIVED - RMATION WAS RECEIV | | BASE CLOSUF | RE. | STATE | 01/07/1993 | |
| | | 1 Notes: | HQ - OP200PE PERMIT DENIAL FO |) - FINAL DETERMINATI DR STORAGE | ON-PERMIT DE | ENIED | | STATE | 11/02/1992 | |

| NOKIA OF AMERICA CORPO | ORATION - (continued) | | | | | | | | NCD003213907 |
|------------------------|-----------------------|------------------------------------|--|---------------------|------------------|------------|---------------------|-----------------|----------------|
| Events | Seq. | Description | | | | | Resp. Agency | Actual Date | Schedule Date |
| | 1 Notes: Di | HQ - OP200PD - ENY PERMIT FOR S | FINAL DETERMINATION STORAGE | ON-PERMIT DI | ENIED | | EPA | 10/26/1992 | |
| | 1 Notes: Cl | | BLIC NOTICE - CLOSU AN ADEQUATE WITH | | S-COMMENT F | PERIOD 8/1 | STATE 2-9/25/92. | 08/12/1992 | |
| | 1 Notes: IN | | PUBLIC NOTICE-INTEI ORAGE PERMIT-COM | _ |) 8/12/92 - 9/25 | 5/92. | STATE | 08/12/1992 | |
| | 2 Notes: Cl | HQ - CL330 - RE LEAN CLOSURE PL | VISIONS RECEIVED - .AN. | CLOSURE | | | STATE | 02/26/1992 | |
| | 2 Notes: Cl | HQ - CL320 - CL LEAN CLOSURE PL | OSURE PLAN NOD AN. | | | | STATE | 11/21/1991 | |
| | 3 | HQ - CL330 - RE | VISIONS RECEIVED - | CLOSURE | | | STATE | 03/08/1991 | |
| | 4 | HQ - CL330 - RE | VISIONS RECEIVED - | CLOSURE | | | STATE | 02/13/1991 | |
| | 2 Notes: Th | | AN RECEIVED - CLOS COPIES RECEIVED 2/ | _ | | | STATE | 02/11/1991 | |
| | 5 | HQ - CL330 - RE | VISIONS RECEIVED - | CLOSURE | | | STATE | 02/08/1991 | |
| | 1 | HQ - CL370 - RE | CEIVE CLOSURE CEF | RTIFICATION | | | STATE | 07/01/1988 | |
| | 1 | HQ - CL330 - RE | VISIONS RECEIVED - | CLOSURE | | | STATE | 03/05/1987 | |
| | 1 Notes: Pa | HQ - CL310 - PL ARTIAL CLOSURE | AN RECEIVED - CLOS | URE | | | STATE | 11/10/1986 | |
| | 1 | HQ - OP020 - PA | ART B RECEIVED | | | | STATE | 11/09/1984 | 11/17/1984 |
| | 1 | HQ - OP010 - PA | ART B CALL-IN | | | | STATE | 05/17/1984 | |
| | 3 | HQ - CL310 - PL | AN RECEIVED - CLOS | URE | | | STATE | 08/01/1983 | |
| | 1 | HQ - OP001PB - REQUEST | PART A RECEIVED-S | UBMITTED WI | TH A PART B (| OR MOD | STATE | 10/16/1980 | |
| Unit Name | Seq. | Process Code | Legal/Op. Status | # Units | Capacity | UOM | Capacity Type | Standard Permit | Effective Date |
| STOREPAD | | | ITCC accept waste from off-s | 1 ite generators | 12,320 | Gal | | N | 05/17/1984 |
| _ | Waste C | | Codes found | | | | _ | | |
| Events | Seq. | Description | | | | | Resp. Agency | Actual Date | Schedule Date |

| NOKIA OF AMERICA CORF | PORATION - (continued) | | | | NCD003213907 |
|------------------------------|------------------------|---|--------------------|-------------|---------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 6 Notes: NAI | HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW ME CHANGE (LUCENT) | STATE | 04/18/1996 | |
| | 1 | HQ - CL380CA - CLOSURE VERIFICATION-CLEAN CLOSURE ACCEPTABLE | STATE | 01/05/1994 | |
| | Notes: CLC | DSURE CERT. IS ACCEPTED-CONT. SOILS ADDRESSED IN PC PERMIT | | | |
| | 1 Notes: CLC | NC - CL381 - DATE INSPECTED TO CONFIRM CLOSURE DSURE INSPECTION | STATE | 12/15/1993 | |
| | 1 Notes: REC | NC - CL552 - CORRESPONDENCE QUEST FOR EXTENSION OF CLOSURE CERTIFICATION-NEW DATE-OCT 15, 19 | STATE 93 | 09/17/1993 | |
| | 1 | HQ - CL360MO - CLOSURE PLAN APPROVED - PARTIAL CLOSURE | STATE | 03/17/1993 | |
| | 1 Notes: ADI | NC - CL551 - SITE VISIT DTIONAL INFORMATION FOR THE RISK BASED CLOSURE SENT TO EPA & EPIE | STATE DEM. | 01/12/1993 | |
| | 6 Notes: ADI | HQ - CL330 - REVISIONS RECEIVED - CLOSURE DITIONAL INFORMATION WAS RECEIVED FOR RISK BASE CLOSURE. | STATE | 01/07/1993 | |
| | 1 Notes: PEF | HQ - OP200PD - FINAL DETERMINATION-PERMIT DENIED RMIT DENIAL FOR STORAGE | STATE | 11/02/1992 | |
| | 1 Notes: DEI | HQ - OP200PD - FINAL DETERMINATION-PERMIT DENIED NY PERMIT FOR STORAGE | EPA | 10/26/1992 | |
| | 1 Notes: CLE | HQ - CL340 - PUBLIC NOTICE - CLOSURE EAN CLOSURE PLAN ADEQUATE WITH AMENDMENTS-COMMENT PERIOD 8/12 | STATE -9/25/92. | 08/12/1992 | |
| | 1 Notes: INT | HQ - OP160ID - PUBLIC NOTICE-INTENT TO DENY ENT TO DENY STORAGE PERMIT-COMMENT PERIOD 8/12/92 - 9/25/92. | STATE | 08/12/1992 | |
| | 2 Notes: CLE | HQ - CL330 - REVISIONS RECEIVED - CLOSURE EAN CLOSURE PLAN. | STATE | 02/26/1992 | |
| | 2 Notes: CLE | HQ - CL320 - CLOSURE PLAN NOD EAN CLOSURE PLAN. | STATE | 11/21/1991 | |
| | 3 | HQ - CL330 - REVISIONS RECEIVED - CLOSURE | STATE | 03/08/1991 | |
| | 4 | HQ - CL330 - REVISIONS RECEIVED - CLOSURE | STATE | 02/13/1991 | |
| | 2 Notes: THF | HQ - CL310 - PLAN RECEIVED - CLOSURE REE ADDITIONAL COPIES RECEIVED 2/21/91 | STATE | 02/11/1991 | |

| NOKIA OF AMERICA CORPORA | ATION - (continued) | | | | | | | | NCD0032139 |
|--------------------------|---------------------|---|--|--------------|------------------|----------------|-----------------|-----------------|----------------|
| Events | Seq. | Description | | | | | Resp. Agency | Actual Date | Schedule Date |
| | 5 | HQ - CL330 - RE | VISIONS RECEIVED - 0 | CLOSURE | | | STATE | 02/08/1991 | |
| | 1 | HQ - PC380DA - | POST-CLOSURE VERI | FICATION-AC | CEPTABLE | | STATE | 09/14/1988 | |
| | 1 | HQ - PC381 - DA | ATE INSPECTED TO CO | NFIRM POST | -CLOSURE | | STATE | 09/14/1988 | |
| | 2 Notes: SU | HQ - PC372CA - TO PLAN RVEY PLAT RECE | POST-CLOSURE CER | TIFICATION R | ECEIVED-ACC | ORDING | STATE | 09/12/1988 | |
| | 1 Notes: CL | HQ - PC370 - PC OSURE CERTIFIC | OST-CLOSURE CERTIF ATION. | ICATION REC | EIVED | | STATE | 08/17/1988 | |
| | 2 | HQ - PC360ME - CLOSURE | POST-CLOSURE PLAN | N APPROVED | - FINAL POST | - | STATE | 11/05/1987 | |
| | 2 | HQ - PC340 - PL | JBLIC NOTICE - POST-0 | CLOSURE PL | AN | | STATE | 08/20/1987 | |
| | 1 | HQ - PC340CL - | PUBLIC NOTICE - CLO | SURE/POST- | CLOSURE-CLO | SURE | STATE | 08/20/1987 | |
| | 1 | HQ - PC310 - PC | ST-CLOSURE PLAN R | ECEIVED | | | STATE | 07/02/1987 | |
| | 2 | HQ - PC310CL - | PLAN RECEIVED - CLO | OSURE/POST | CLOSURE-CL | OSURE | STATE | 07/02/1987 | |
| | 1 | HQ - CL330 - RE | VISIONS RECEIVED - 0 | CLOSURE | | | STATE | 03/05/1987 | |
| | 1 Notes: PA | HQ - CL310 - PL RTIAL CLOSURE | AN RECEIVED - CLOSU | JRE | | | STATE | 11/10/1986 | |
| | 1 | HQ - OP020 - PA | ART B RECEIVED | | | | STATE | 11/09/1984 | 11/17/1984 |
| | 1 | HQ - OP010 - PA | ART B CALL-IN | | | | STATE | 05/17/1984 | |
| | 3 | HQ - CL310 - PL | AN RECEIVED - CLOSU | JRE | | | STATE | 08/01/1983 | |
| Unit Name | Seq. | Process Code | Legal/Op. Status | # Units | Capacity | UOM | Capacity Type | Standard Permit | Effective Date |
| UST | | S UNIT IS A CLOSE | PCCP accept waste from off-sit ED TANK THAT LEFT G Codes found | · · | 0 R CONTAMINA | Ac-F ATION. | | N | 01/11/1990 |
| Events | Seq. | Description | | | | | Resp. Agency | Actual Date | Schedule Date |
| | 1 Notes: The | HQ - PC270 - PE | RMIT EXPIRATION DA | | sure Permit is e | effective unt | STATE | | 08/14/2029 |
| | 1 Notes: Fin | HSWA CA SCHE | FINAL DETERMINATIO ED. r the Nokia of America/S | | | | STATE Permit | 08/14/2019 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (c | ontinued) | | | | NCD003213907 |
|--|----------------|---|--------------------------------------|-----------------------------------|--------------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 1 Notes: Th | HQ - PC205 - FINAL PERMIT EFFECTIVE ne Nokia of America/Salem Business Park Facility Post-Closure Permit became effe | STATE ctive on August 14, 2019. | 08/14/2019 | |
| | 3 Notes: Po | HQ - PC270 - PERMIT EXPIRATION DATE ermit expires on June 6, 2017. | STATE | 08/14/2019 | 06/06/2017 |
| | 1 Notes: P | HQ - PC170PH - PERMIT PUBLIC HEARING - FORMAL ublic hearing for the Nokia of America/Salem Business Park Facility Draft Post-Closu | STATE ure Permit. | 07/26/2019 | |
| | | HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT ne Nokia of America/Salem Business Park Facility Draft Post-Closure Permit Was Pt Through August 1, 2019. | STATE ublic Noticed on June 14, 2 | 06/14/2019 2019. The Public Co | mment Period: June |
| | 1 | HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE ermit application determined to be complete. | STATE | 11/21/2018 | |
| | 1 Notes: R | HQ - PC100 - NOTICE OF DEFICIENCY CRA Part B Permit Renewal Application NOD | STATE | 06/28/2018 | |
| | 1 Notes: Pa | HQ - PC020RN - POST-CLOSURE RENEWAL APPLICATION RECEIVED art B Permit Renewal Application received. | STATE | 01/03/2017 | |
| | 1 Notes: A | NC - PC552 - CORRESPONDENCE cknowledged receipt of one original and six electronic copies of the Part B Permit Re | STATE enewal Application. | 01/03/2017 | |
| | 9 Notes: Pe | HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED ermit modification to discontinue operation of groundwater extraction well VOC-1. V | STATE | 12/03/2013 | |
| Not Linked to a Modification (PC230) Event | 1 | HQ - PC240CA - MODIFICATION APPROVED-CORRECTIVE ACTION MODIFICATION | STATE | 12/03/2013 | |
| | Notes: Po | ermit modification to discontinue operation of groundwater extraction well VOC-1. V | OC-1 will continued to be | monitored. | |
| | 1 | HQ - PC230CA - MODIFICATION REQUESTED RECEIVED-CORRECTIVE ACTION | STATE | 08/26/2013 | |
| | Notes: Al | catel Lucent requested a permit modification to discontinue operation of groundwate | er extraction well VOC-1. | | |
| | 2 Notes: Po | HQ - PC200PJ - FINAL DETERMINATION-RCRA PERMIT ISSUED WITH HSWA CA SCHED. ost-Closure Permit issued to Lucent Technologies. | STATE | 06/26/2007 | |
| | 3 Notes: Lu | HQ - PC205 - FINAL PERMIT EFFECTIVE ucent Technologies' Post-Closure Permit effectiveness date is June 6, 2007. | STATE | 06/06/2007 | |
| | 1 Notes: | HQ - PC270 - PERMIT EXPIRATION DATE | STATE | 06/06/2007 | 09/23/2003 |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA COR | PORATION - (continued) | | | | NCD003213907 |
|----------------------|------------------------|---|----------------------------------|-----------------------|--------------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 2 | HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT | STATE | 04/22/2007 | |
| | | aft Post-Closure Permit for Lucent Techologies (Operator) and Salem Business F 22/2007 through 6/6/2007. | Park (Owner)was public notic | ced on April 22, 2007 | 7. Public commment |
| | 2 | HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE | STATE | 04/09/2007 | |
| | Notes: Pa | rt B Application determined complete. | | | |
| | 80 | NC - PC552 - CORRESPONDENCE | STATE | 07/18/2005 | |
| | Notes: Th | is is the detection monitoring event for 1,4-dioxane. These are the analytical res | ults submitted at the request | t of the NCHWS. | |
| | 79 | NC - PC552 - CORRESPONDENCE | STATE | 06/17/2005 | |
| | | CHWS letter requiring a detection GW monitoring event for 1,4-Dioxane, prior to for required to be sampled. | inalizing the draft permit. VO | OC1, EW-15, C-2, M | W-2A, C-5, and MW- |
| | 78 | NC - PC552 - CORRESPONDENCE | STATE | 06/06/2005 | |
| | Notes: TH | lis is the fist 2005 semi-annual sampling report and effectiveness evaluation | | | |
| | 77 | NC - PC552 - CORRESPONDENCE | STATE | 02/21/2005 | |
| | | is is the annual post-closure care cost estimate for 2005. It is the estimated cost ado their financial mechanism for CA instead of PC. | of all corrective action for the | e next 30 years. Jer | ny is going to get |
| | 73 | NC - PC552 - CORRESPONDENCE | STATE | 12/28/2004 | |
| | Notes: Th | is is the SEcond 2004 Semi-Annual Sampling Report & Effectiveness Evaluation | , RCRA Post-Closure Care a | & Corrective Action N | Monitoring System. |
| | 4 | HQ - PC110 - REVISIONS RECEIVED | STATE | 07/21/2004 | |
| | Notes: Th | ese are revisions to the May 2003 Part B application submitted in response to the | e 6/17/04 second NOD. | | |
| | 74 | NC - PC552 - CORRESPONDENCE | STATE | 07/08/2004 | |
| | Notes: Re | eceived first semi-annual GW monitoring report and effectiveness evaluation. | | | |
| | 75 | HQ - PC100 - NOTICE OF DEFICIENCY | STATE | 06/17/2004 | |
| | Notes: Th | is is the second notice of deficiency. Submitted in reponse to revisions submitted | d on 5/20/04. This is related | to the May 2003 Pa | rt B application. |
| | 2 | HQ - PC100 - NOTICE OF DEFICIENCY | STATE | 04/15/2004 | |
| | Notes: FII | RST NOD FOR APRIL 2003 PART B APPLICATION | | | |
| | 3 | HQ - PC110 - REVISIONS RECEIVED | STATE | 04/02/2004 | |
| | Notes: FIF | RST NOD FOR MAR 2003 PART B RENEWAL | | | |
| | 72 | NC - PC552 - CORRESPONDENCE | STATE | 03/08/2004 | |
| | Notes: AN | MBIANT AIR MONITORING RESULTS NEAR UST AND NEAR 301 LERHOUSE | | | |
| | 71 | NC - PC552 - CORRESPONDENCE | STATE | 03/01/2004 | |
| | Notes: RE | CEIVED 2004 ANNUAL POST-CLOSURE CARE LOST ESTIMATE REPORT | | | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (c | ontinued) | | | | NCD003213907 |
|--|------------------|--|--------------------|-------------|---------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 70 Notes: RE | NC - PC552 - CORRESPONDENCE C`D CMS IMPLEMENTATION UPDATE | STATE | 02/20/2004 | |
| | 69 Notes: red | NC - PC552 - CORRESPONDENCE eived 1st 2003 monitoring report | STATE | 06/19/2003 | |
| | 1 | HQ - PC020RN - POST-CLOSURE RENEWAL APPLICATION RECEIVED | STATE | 04/28/2003 | |
| | 1 Notes: Re | HQ - PC010 - POST-CLOSURE/HSWA PART B CALL-IN newal call in as permit expires 9/23/2003. Part B renewal due 3/25/2003 | STATE | 09/26/2002 | |
| | 68 Notes: RE | NC - PC552 - CORRESPONDENCE C`D UPDATES TO CONTINGENCY, ABANDONMGNT & TRAINING PLANS FOR C | STATE A SYSTEM. | 07/01/2002 | |
| | 67 Notes: RE | NC - PC552 - CORRESPONDENCE EC`D 1ST 2002 SEMI-ANNUAL MONITORING & EFFECTIVENESS REPORT | STATE | 06/07/2002 | |
| | 1 Notes: AG | HQ - PC200PP - FINAL DETERMINATION-RCRA PERMIT ISSUED, NO HSWA PERMIT YET ENCY INITIATED REMEDY SELECTION & CLASS 3 MOD TO INSTALL EW-18 | STATE | 05/02/2002 | |
| | 1 | HQ - PC205 - FINAL PERMIT EFFECTIVE | STATE | 05/02/2002 | |
| | 2 Notes: | HQ - PC205 - FINAL PERMIT EFFECTIVE | STATE | 05/02/2002 | |
| Not Linked to a Modification (PC230) Event | 1 Notes: AG | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW ENCY INITIATED REMEDY SELECTION & CLASS 3 MOD TO INSTALL EW-18 | STATE | 05/02/2002 | |
| Not Linked to a Modification (PC230) Event | 7 Notes: MC | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW DD. PERMIT ISSUED/EFFECTIVE. REFER TO REMSEL & CLASS 3 MOD TRACK | STATE | 05/02/2002 | |
| | 1 Notes: RE | HQ - PC110 - REVISIONS RECEIVED V. TO PART B APPLICATION & REMED. SYSTEMS INSP. & MAINTENANCE REC | STATE D. | 04/30/2002 | |
| | 1 Notes: RE | HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED V. TO PART B APPLICATION & REMED. SYSTEMS INSP. & MAINTENANCE REC | STATE D. | 04/30/2002 | |
| | 1 Notes: | HQ - PC170PM - PERMIT PUBLIC MEETING | STATE | 04/22/2002 | |
| | 1 | HQ - PC237PM - PERMIT MODIFICATION PUBLIC MEETING | STATE | 04/22/2002 | |
| | 1 | HQ - PC236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE | STATE | 03/17/2002 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (| continued) | | | NCD003213907 |
|--|---|--------------|-------------|---------------|
| Events | Seq. Description | Resp. Agency | Actual Date | Schedule Date |
| | Notes: DRAFT PERMIT PUBLIC NOTICED DRAFT PERMIT MAILED OUT ON 3/15/02 | | | |
| | 1 HQ - OP236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE | STATE | 01/20/2002 | |
| | Notes: FACILITY PUBLISHED PUBLIC NOTICE W/ PUBLIC MTG TO BE HELD 2/15/02 | | | |
| | 10 HQ - PC23130 - CLASS DETERMINATION-CLASS 3 MOD | STATE | 01/14/2002 | |
| | Notes: ADDING A WELL IS A CLASS 3 MOD. REFER TO REMSEL & CLASS 3MOD | | | |
| | 1 HQ - OP020 - PART B RECEIVED | STATE | 01/11/2002 | |
| | Notes: CLASS 3 MOD REQUEST REC`D TO INSTALL EW-18 EXTRACTION WELL | | | |
| | 1 HQ - OP025CU - CONFIDENTIALITY UNSUBSTANTIATED | STATE | 01/11/2002 | |
| | Notes: CLASS 3 MOD REQUEST REC`D TO INSTALL EW-18 EXTRACTION WELL | | | |
| | 10 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC. CA. OR GW | STATE | 01/11/2002 | |
| | Notes: INSTALLING NEW EXTRACTION WELL EW-18 REFER TO REMSEL & CLASS 3MC | D | | |
| | 66 NC - PC552 - CORRESPONDENCE | STATE | 08/29/2001 | |
| | Notes: REVIEWED AND SENT COMMENTS ON 4 SA MONITORING & EFF REPORTS (`99 | -`01) | | |
| | 65 NC - PC552 - CORRESPONDENCE | STATE | 04/24/2001 | |
| | Notes: REC'D LETTER AUTHORIZING GREG VIERKANT AS SIGNATORY AUTHORITY FO | OR LUCENT | | |
| | 64 NC - PC552 - CORRESPONDENCE | STATE | 04/09/2001 | |
| | Notes: REC'D POST-CLOSURE COST ESTIMATE UPDATE/ANNUAL REPORT | | | |
| | 63 NC - PC552 - CORRESPONDENCE | STATE | 12/22/2000 | |
| | Notes: 2ND 2000 SAMPLING & EFFECTIVENESS REPORT REC`D. | | | |
| | 62 NC - PC552 - CORRESPONDENCE | STATE | 10/16/2000 | |
| | Notes: Rec`d revision 3 of remediation systems inspection / maintenance manual. | | | |
| | 61 NC - PC552 - CORRESPONDENCE | STATE | 06/20/2000 | |
| | Notes: REC'D 1ST 2000 S A MONITORING & EFFECTIVNESS REPORT | | | |
| | 1 HQ - PC205 - FINAL PERMIT EFFECTIVE | STATE | 04/24/2000 | |
| Not Linked to a Modification (PC230) Event | 9 HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW | STATE | 03/23/2000 | |
| | Notes: 5/YR REVIEW PERMIT MOD COMPLETED | | | |
| Not Linked to a Modification (PC230) Event | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW | STATE | 03/23/2000 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (co | ntinued) | | | | NCD003213907 |
|------------------------------------|-----------------|--|---------------|-------------|---------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 60 Notes: RE | NC - PC552 - CORRESPONDENCE EC`D ANNUAL REPORT INCLUDING REVISED PC COST ESTIMATE | STATE | 02/29/2000 | |
| | 1 Notes: PL | HQ - PC237PM - PERMIT MODIFICATION PUBLIC MEETING JBLIC HEARING FOR DRAFT MODIFIED PERMIT | STATE | 02/16/2000 | |
| | 59 Notes: RE | NC - PC552 - CORRESPONDENCE EC'D MODELING & SPECS FOR EW-22 & WP TO IMPROVE EW-15'S PERFORMANCE | STATE | 02/08/2000 | |
| | 6 Notes: ME | NC - PC553 - MEETING ET W/ ENSR TO DISCUSS SUBMITTALS GIVEN TO HWS TODAY | STATE | 02/08/2000 | |
| | 1 Notes: CC | NC - MP452 - CORRESPONDENCE DMMENTS ON DRAFT PERMIT RECEIVED FROM FACILITY | STATE | 02/03/2000 | |
| | 1 Notes: DF | HQ - PC236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE RAFT PERMIT ISSUED FOR CHANGES DETERMINED NECESSARY IN 5-YR REVIEW | STATE | 01/12/2000 | |
| | 1 Notes: PA | HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED ART B APPLICATION CHANGES REC`D IN RESPONCE TO CHANGES NEEDED IN PER | STATE RMIT | 12/22/1999 | |
| | 58 Notes: RE | NC - PC552 - CORRESPONDENCE EC`D 2ND 1999 SA MON/EFF. REPORT & UPDATED REM. SYS. I&M MANUAL (REV.2) | STATE | 12/22/1999 | |
| | 5 Notes: ME | NC - PC553 - MEETING ET W/ ENSR TO DISCUSS PART B REVISIONS NEEDED FOR 5-YEAR REVIEW MOD | STATE | 12/08/1999 | |
| | 9 Notes: 5- | HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW YR REVIEW DETERMINE MOD NECESSARY. AGENCY INTIATED REFER TO 5-YR MC | STATE | 09/30/1999 | |
| | 9 Notes: M0 | HQ - PC23130 - CLASS DETERMINATION-CLASS 3 MOD ONITORING REQUIREMENTS + PERMIT UPDATE. AGENCY INIT. REFER TO 5YR-MO | STATE D | 09/30/1999 | |
| | 1 Notes: M0 | NC - PC577MO - FIVE YEAR RESPONCE LETTER- MODIFICATION REQUIRED ODIFICATION OF PERMIT NEEDED AS A RESULT OF 5-YEAR REVIEW | STATE | 09/30/1999 | |
| | 4 Notes: ME | NC - PC553 - MEETING ET W/ FACILITY & CONSULTANTS TO DISCUSS 5-YR PERMIT REVIEW & CMS | STATE | 08/04/1999 | |
| | 57 Notes: RE | NC - PC552 - CORRESPONDENCE EVIEWED 2ND 1998 S.A. MONITORING EFF. REPORT & SENT FACILITY COMMENTS | STATE | 07/16/1999 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (continued) | | | | | |
|--|---|---------------|-------------|---------------|--|
| Events | Seq. Description | Resp. Agency | Actual Date | Schedule Date | |
| | 1 NC - PC575 - FIVE YEAR REVIEW- INITIAL NOTIFICATION Notes: SENT NOTIFICATION OF 5-YEAR REVIEW TO FACILITY & FIELD STAFF | STATE | 06/30/1999 | | |
| | 56 NC - PC552 - CORRESPONDENCE Notes: REC`D 1ST 1999 SA MONITORING & EFFECTIVENESS REPORT | STATE | 06/10/1999 | | |
| | 55 NC - PC552 - CORRESPONDENCE Notes: SENT DWQ COMMENTS ON LUCENT'S DRAFT NPDES PERMENT | STATE | 05/26/1999 | | |
| | 3 NC - PC553 - MEETING Notes: MET W/ FACILITY/CONSULTANTS TO DISCUSS RFI, CMS & HISTORY OF DECISION | STATE IS | 03/02/1999 | | |
| | 54 NC - PC552 - CORRESPONDENCE Notes: REC'D REVISED INSPECTION & MAINTENANCE PLAN REQUESTED 9/98 | STATE | 01/20/1999 | | |
| | 53 NC - PC552 - CORRESPONDENCE Notes: RECEIVED 2ND 1998 MONITORING & EFFECTIVENESS REPORT | STATE | 12/30/1998 | | |
| | 7 NC - PC551 - SITE VISIT Notes: OBSERVED VIDEO LOGGING OF NEW MONITORING WELLS | STATE | 09/28/1998 | | |
| | 52 NC - PC552 - CORRESPONDENCE Notes: REC'D LETTER STATING O&M MANUAL WILL BE UP DATED BY 12/20/98 | STATE | 09/28/1998 | | |
| | 51 NC - PC552 - CORRESPONDENCE Notes: REC`D 1ST 1998 SEMI ANNUAL MONITORING & EFFECTIVENESS REPORT | STATE | 06/18/1998 | | |
| | 6 NC - PC551 - SITE VISIT Notes: SITE VISIT TO SEE REMEDIATION SYSTEM AND SWMUS W/MEETING AFTERWARD | STATE DS | 06/02/1998 | | |
| Not Linked to a Modification (PC230) Event | 8 HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW Notes: MOD APPROVED TO CHANGE FACILITY CONTACT/ADDRESS | STATE | 05/22/1998 | | |
| | 8 HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED Notes: CHANGE FACILITY CONTACT/ADDRESS | STATE | 04/30/1998 | | |
| | 8 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW Notes: CHANGE FACILITY CONTACT/ADDRESS | STATE | 04/29/1998 | | |
| | 50 NC - PC552 - CORRESPONDENCE Notes: SENT LETTER STATING 2ND 1997 EFF. & MON. RPT HAS BEEN REVIEWED (NO CC | STATE DMM) | 04/29/1998 | | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (| (continued) | | | | NCD003213907 |
|--|------------------|---|--------------|-------------|---------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| | 49 Notes: RE | NC - PC552 - CORRESPONDENCE CEIVED ANNUAL REPORT | STATE | 02/19/1998 | |
| | 48 Notes: RE | NC - PC552 - CORRESPONDENCE C`D 1997 ANNUAL REPORT W/PC COST ESTIMATE UPDATE | STATE | 02/19/1998 | |
| | 45 Notes: SEI | NC - PC552 - CORRESPONDENCE NT LETTER STATING REMEDIATION SPILL REQUIRED NO FURTHER ACTION | STATE | 02/12/1998 | |
| | 46 Notes: RE | NC - PC552 - CORRESPONDENCE CEIVED ANALYTICAL REPORT ON 11/12/97 REMEDIATION SYSTEM SPILL | STATE | 01/29/1998 | |
| | 47 Notes: RE | NC - PC552 - CORRESPONDENCE C`D SECOND 1997 SEMI-ANNUAL SAMPLING & EFFECTIVENESS REPORT | STATE | 01/08/1998 | |
| | 44 Notes: RE | NC - PC552 - CORRESPONDENCE C`D WRITTEN NOTIFICATION OF 11/12/97 REMEDIATION SYSTEM LEAK | STATE | 11/26/1997 | |
| | 43 Notes: SEI | NC - PC552 - CORRESPONDENCE NT COMMENTS ON 2ND 1996 & 1ST 1997 GW MONITORING & EFFECTIVENESS I | STATE RPT | 08/05/1997 | |
| | 42 Notes: DE | NC - PC552 - CORRESPONDENCE TAILED 5-YEAR PC PERMIT REVIEW PROCESS FOR THE FACILITY | STATE | 07/21/1997 | |
| | 41 Notes: RE | NC - PC552 - CORRESPONDENCE C`D 1ST 1997 GW MONITORING DATA & EFFECTIVENESS REPORT | STATE | 05/30/1997 | |
| | 40 Notes: RE | NC - PC552 - CORRESPONDENCE C`D 1996 ANNUAL REPORT | STATE | 02/27/1997 | |
| | 39 Notes: RE | NC - PC552 - CORRESPONDENCE C`D 2ND 1996 GW MONITORING DATA & EFFECTIVENESS REPORT | STATE | 12/09/1996 | |
| | 6 Notes: NAI | HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED ME CHANGE (LUCENT) | STATE | 10/23/1996 | |
| Not Linked to a Modification (PC230) Event | 6 Notes: NAI | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW ME CHANGE (LUCENT) | STATE | 10/23/1996 | |
| | 7 Notes: THI | HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED IS IS A CLOCED TANK THAT LEFT GROUNDWATER CONTAMATION | STATE | 08/06/1996 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (c | continued) | | | NCD003213907 |
|--|---|----------------|-------------|---------------|
| Events | Seq. Description | Resp. Agency | Actual Date | Schedule Date |
| Not Linked to a Modification (PC230) Event | 7 HQ - PC240GW - MODIFICATION APPROVED-GROUNDWATER MONITORING MODIFICATION Notes: THIS UNIT IS A CLOSED TANK THAT LEFT GROUNDWATER CONTAMINATION | STATE | 08/06/1996 | |
| | 7 HQ - PC230GW - MODIFICATION REQUESTED RECEIVED- GROUNDWATER MONITORING MODIFICATION Notes: THIS UNIT IS A CLOSED TANK THAT LEFT GROUNDWATER CONTAMINATION | STATE | 07/19/1996 | |
| | 38 NC - PC552 - CORRESPONDENCE Notes: SENT FACILITY LETTER STATING APPENDIX IX MONITORING COULD BE REDUCED | STATE | 06/21/1996 | |
| | 36 NC - PC552 - CORRESPONDENCE Notes: DETERMINED 5/22/96 REM SYSTEM LEAK REQUIRES NO FUTHER ACTION | STATE | 06/20/1996 | |
| | 37 NC - PC552 - CORRESPONDENCE Notes: SENT COMMENTS ON 1ST 1996 SAMPLING & EFFECTIVENESS REPORT | STATE | 06/20/1996 | |
| | 35 NC - PC552 - CORRESPONDENCE Notes: REC`D ASSESSMENT REPORT FOR 5/22/96 REM SYSTEM LINE LEAK | STATE | 06/14/1996 | |
| | 34 NC - PC552 - CORRESPONDENCE Notes: REC`D 1ST 1996 GW MONITORING DATA & EFFECTIVENESS REPORT | STATE | 06/06/1996 | |
| | 6 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW Notes: NAME CHANGE (LUCENT) | STATE | 04/18/1996 | |
| | 33 NC - PC552 - CORRESPONDENCE Notes: APPROVED AS-BUILTS & CONSTRUCTION OF REMEDIATION SYSTEM | STATE | 04/16/1996 | |
| | 32 NC - PC552 - CORRESPONDENCE Notes: SENT COMMENTS ON AT&T`S "IN-HOUSE" S&A PLAN DATED 3/94 | STATE | 04/11/1996 | |
| | 29 NC - PC552 - CORRESPONDENCE Notes: REC`D 2ND 1995 SEMI-ANNUAL SAMPLING RESULTS (INCLUDING APPENDIX IX) | STATE | 12/20/1995 | |
| | 28 NC - PC552 - CORRESPONDENCE Notes: APPROVED DOCUMENTS REQUIRED UNDER PERMIT FOR REM SYSTEM (SUB. 9/1 | STATE 9/94) | 10/30/1995 | |
| | 2 HQ - PC205 - FINAL PERMIT EFFECTIVE Notes: CLASS 2 MOD APPROVED PERMIT EXPIRES 9/23/03 | STATE | 10/19/1995 | |
| Not Linked to a Modification (PC230) Event | 1 HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW Notes: MOD APPROVED TO RELEASE 4.34 ACRES FROM PERMITTED FACILITY | STATE | 10/19/1995 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (c | ontinued) | | | | NCD003213907 |
|--|-----------------|---|--------------|-------------|---------------|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date |
| Not Linked to a Modification (PC230) Event | 4 | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW | STATE | 10/19/1995 | |
| | Notes: MC | DD APP`D TO REL 4.34 ACRES FROM PERMITTED FACILITY-SEE "MOD2-LANDREI | <u>-</u> " | | |
| | 1 Notes: RE | HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED VISIONS TO PART A REC'D (5 COPIES) | STATE | 10/05/1995 | |
| | 27 Notes: RE | NC - PC552 - CORRESPONDENCE C`D REMEDIATION SYSTEM AS-BUILTS (CONDITION I.H.1) | STATE | 09/21/1995 | |
| | 1 Notes: PU | NC - MP453 - MEETING BLIC MEETING BY AT&T FOR RELEASE OF ACREAGE FROM PERMITTED FACILI | STATE TY | 08/31/1995 | |
| Not Linked to a Modification (PC230) Event | 5 Notes: CH | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW IANGE EFFECTIVENESS SAMPLING TO COINCIDE WITH SEMI-ANNUAL SAMPLING | STATE G | 08/24/1995 | |
| | 5 Notes: CH | HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED IANGE EFFECTIVENESS SAMPLING TO COINCIDE WITH SEMI-ANNUAL SAMPLING | STATE | 08/23/1995 | |
| | 5 Notes: CH | HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW IANGE EFFECTIVENESS SAMPLING TO COINCIDE WITH SEMI-ANNUAL SAMPLING | STATE | 08/22/1995 | |
| | 26 Notes: AP | NC - PC552 - CORRESPONDENCE PROVAL GIVEN TO START UP REMEDIAL ACTION SYSTEM | STATE | 08/22/1995 | |
| | 1 Notes: RE | NC - MP452 - CORRESPONDENCE C`D AFFIDAVIT OF PUBLICATION OF REQUEST FOR MOD (PUB. 8/14/95) | STATE | 08/21/1995 | |
| | 4 Notes: RE | HQ - PC23120 - CLASS DETERMINATION-CLASS 2 MOD MOVAL OF 4.34 ACRES FROM PERMITTED FACILITY. REFER TO "MOD2-LANDRE | STATE L" | 08/15/1995 | |
| | 1 Notes: LE | HQ - PC110 - REVISIONS RECEIVED TTER REQUESTING REMOVAL OF 4.34 ACRES FROM PERMITTED FACILITY | STATE | 08/14/1995 | |
| | 4 Notes: RE | HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW MOVAL OF 4.34 ACRES FROM PERMITTED FACILITY. REFER TO "MOD2-LANDRE | STATE L" | 08/14/1995 | |
| | 5 Notes: VIE | NC - PC551 - SITE VISIT EWED BASICALLY COMPLETED REMEDIAL ACTION SYSTEM | STATE | 08/08/1995 | |
| Not Linked to a Modification (PC230) Event | 3 Notes: CH | HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW IANGE IN OWNERSHIP AND SECURITY ARRANGEMENTS | STATE | 07/05/1995 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (conf | nued) | | | NCD003213907 |
|---|--|----------------|-------------|---------------|
| Events | Seq. Description | Resp. Agency | Actual Date | Schedule Date |
| | 3 HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED Notes: CHANGE IN OWNERSHIP AND SECURITY ARRANGEMENTS | STATE | 06/29/1995 | |
| | 25 NC - PC552 - CORRESPONDENCE Notes: NOTIFICATION OF CHANGES IN SECURITY DUE TO CHANGE IN OWNERSHIP | STATE | 06/27/1995 | |
| | 3 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW Notes: CHANGE IN OWNERSHIP OF FACILITY | STATE | 06/23/1995 | |
| | 30 NC - PC552 - CORRESPONDENCE Notes: REC`D 1ST 1995 SEMI-ANNUAL SAMPLING RESULTS | STATE | 06/13/1995 | |
| Not Linked to a Modification (PC230) Event | 2 HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW Notes: CONSTRUCTION PERIOD FOR GW REMEDIATION SYSTEM INCREASED TO 390 DA | STATE | 04/27/1995 | |
| | 2 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW Notes: MOD INTERIM COMPLIANCE SCHEDULE FROM 300 TO 390 DAY (GW REM SYS) | STATE | 04/17/1995 | |
| | 2 HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED Notes: CHANGE INTERIM COMPLIANCE SCHEDULE FROM 300 TO 390 DAYS | STATE | 04/17/1995 | |
| | 4 NC - PC551 - SITE VISIT Notes: VIEWED PROGRESS OF REMEDIAL ACTION SYSTEM CONSTRUCTION | STATE | 03/07/1995 | |
| | 24 NC - PC552 - CORRESPONDENCE Notes: SENT FACILITY COMMENTS ON GW SAMPLING & OFF-SITE BEDROCK GW ASSES | STATE SMENT | 02/21/1995 | |
| | 31 NC - PC552 - CORRESPONDENCE Notes: RECEIVED 2ND 1994 SEMI-ANNUAL SAMPLING RESULTS (INCLUDING APPENDIX I | STATE X) | 11/28/1994 | |
| | 23 NC - PC552 - CORRESPONDENCE Notes: SECTION DETERMINED NO FURTHER INVESTIGATION OF UST NEEDED | STATE | 10/18/1994 | |
| | 22 NC - PC552 - CORRESPONDENCE Notes: REC`D NOTIFICATION & ASSESSMENT OF ABANDONED #2 FUEL OIL UST | STATE | 10/11/1994 | |
| | 3 NC - PC551 - SITE VISIT Notes: OBSERVED TANK PULL & PROGRESS OF CONSTRUCTION OF REMEDIATION SYS | STATE TEM | 10/05/1994 | |
| | 21 NC - PC552 - CORRESPONDENCE Notes: SENT AT&T LETTER REQUESTING INFO TO HELP SEE IF ADDT'L ASSESSMENT N | STATE EEDED | 08/30/1994 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (co | ntinued) | | | NCD003213907 |
|--|---|--------------------|-------------|---------------|
| Events | Seq. Description | Resp. Agency | Actual Date | Schedule Date |
| | 20 NC - PC552 - CORRESPONDENCE Notes: REC`D INFOR REQ BY PERMIT (PC COST EST, CONTIGENCY PLAN, TRAINING,EC | STATE CT) | 08/19/1994 | |
| | 19 NC - PC552 - CORRESPONDENCE Notes: COMMENTS ON GW DATA & GUIDELINES FOR FUTURE DATA SUBMITTALS SEN | STATE | 07/26/1994 | |
| | 18 NC - PC552 - CORRESPONDENCE Notes: GW REMEDIATION SYSTEM APPROVED. 300 DAY CONSTRUCTION PERIOD OVE | STATE R 5/17/95 | 07/21/1994 | |
| | 17 NC - PC552 - CORRESPONDENCE Notes: REC`D FIRST SEMI-ANNUAL GW MONITORING REPORT | STATE | 06/13/1994 | |
| | 1 HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED Notes: CHANGE IN INTERIM COMPLIANCE SCHEDULE | STATE | 06/01/1994 | |
| Not Linked to a Modification (PC230) Event | 1 HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW Notes: CONSTRUCTION PERIOD FOR GW REMEDIATION SYSTEM INCREASED TO 300 E | STATE | 06/01/1994 | |
| | 1 HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW Notes: MODIFY INTERIM COMPLIANCE SCHEDULE (TO CONSTRUCT GW REMEDIATION | STATE SYSTEM) | 05/31/1994 | |
| | 15 NC - PC552 - CORRESPONDENCE Notes: GW DATA EXTENSION GRANTED (DUE 6/10/94) NEED TO RESAMPLE-LAB ERROF | STATE R | 04/29/1994 | |
| | 16 NC - PC552 - CORRESPONDENCE Notes: EXTENSION REQUEST FOR GW MONITORING DATA REPORT | STATE | 04/28/1994 | |
| | 14 NC - PC552 - CORRESPONDENCE Notes: CLARIFICATION GIVEN ON REMEDIAL ACTION SYSTEM DESIGN QUESTIONS | STATE | 04/18/1994 | |
| | 13 NC - PC552 - CORRESPONDENCE Notes: REC`D OFFSITE BEDROCK ASSESSMENT REPORT PER PERMIT CONDITION IV. | STATE E.3 | 03/31/1994 | |
| | 12 NC - PC552 - CORRESPONDENCE Notes: REC`D ADDENDA TO REMEDIAL ACTION SYSTEM PLANS:RESP. TO 2/25/94 COM | STATE MENTS | 03/24/1994 | |
| | 11 NC - PC552 - CORRESPONDENCE Notes: GUIDELINES FOR BACKFILLING DURING REMEDIATION SYSTEM CONSTRUCTIO | STATE N SENT | 03/11/1994 | |
| | 10 NC - PC552 - CORRESPONDENCE Notes: SENT COMMENTS ON REMEDIAL ACTION CONSTRUCTION PLANS | STATE | 02/25/1994 | |

Report run on: November 5, 2020 9:35:31 AM EST

| NOKIA OF AMERICA CORPORATION - (continued) | | | | | | |
|--|----------------|---|--------------|-------------|---------------|--|
| Events | Seq. | Description | Resp. Agency | Actual Date | Schedule Date | |
| | 2 Notes: MI | NC - PC553 - MEETING ET WITH DEM & FACILITY TO DISCUSS REMEDIATION SYSTEM DESIGN | STATE | 01/31/1994 | | |
| | 2 Notes: D. | NC - PC551 - SITE VISIT OLSZEWSKI & J. CARTER TOURED ENTIRE FACILITY | STATE | 01/18/1994 | | |
| | 1 Notes: RE | NC - PC553 - MEETING EC'D REM. ACTION CONST. PLANS & DISCUSSED PERMIT REQUIREMENTS | STATE | 12/16/1993 | | |
| | 9 Notes: RE | NC - PC552 - CORRESPONDENCE EMEDIAL ACTION SYSTEM CONSTRUCTION PLANS REC'D PER PERMIT COND | STATE | 12/16/1993 | 12/22/1993 | |
| | 1 | HQ - PC205 - FINAL PERMIT EFFECTIVE | EPA | 09/23/1993 | | |
| | 1 | HQ - PC205 - FINAL PERMIT EFFECTIVE | STATE | 09/23/1993 | | |
| | 1 | HQ - PC200PJ - FINAL DETERMINATION-RCRA PERMIT ISSUED WITH HSWA CA SCHED. | EPA | 08/23/1993 | | |
| | 1 | HQ - PC200PJ - FINAL DETERMINATION-RCRA PERMIT ISSUED WITH HSWA CA SCHED. | STATE | 08/23/1993 | | |
| | 8 Notes: RE | NC - PC552 - CORRESPONDENCE ECEIVED COMMENTS ON DRAFT PERMIT FROM FACILITY | STATE | 04/26/1993 | | |
| | 1 | HQ - PC170PM - PERMIT PUBLIC MEETING | STATE | 04/13/1993 | | |
| | 1 | HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT | STATE | 03/12/1993 | | |
| | 1 | HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE | STATE | 03/04/1993 | | |
| | 7 Notes: SE | NC - PC552 - CORRESPONDENCE ENT COPY OF DRAFT PERMIT TO EPA. | STATE | 01/20/1993 | | |
| | 6 Notes: RE | NC - PC552 - CORRESPONDENCE ECEIVED COMPLETENESS CONCURRENCE FROM EPA. | STATE | 10/28/1992 | | |
| | 1 | HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE | EPA | 10/26/1992 | | |
| | 5 Notes: AS | NC - PC552 - CORRESPONDENCE SKED EPA FOR COMPLETENESS CONCURRENCE BY 9/14/92. | STATE | 08/14/1992 | | |
| | 4 Notes: C0 | NC - PC552 - CORRESPONDENCE OPY OF PERMIT ADDENDUM SENT TO DEM. | STATE | 06/02/1992 | | |
| | 2 Notes: St | HQ - PC110 - REVISIONS RECEIVED JBMITTED IN RESPONSE TO 12/4/91 LETTER OF CLARIFICATION. | STATE | 05/29/1992 | | |

Report run on: November 5, 2020 9:35:31 AM EST

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

NOKIA OF AMERICA CORPORATION - (continued) NCD003213907 **Events** Seq. Description Resp. Agency **Actual Date** Schedule Date 2 NC - PC552 - CORRESPONDENCE STATE 03/30/1992 Notes: EXTENSION GRANTED. 1 NC - PC552 - CORRESPONDENCE STATE 03/27/1992 Notes: EXTENSION REQUESTED FOR SUBMITTAL OF LETTER OF CLARIFICATION ITEMS. 1 NC - PC551 - SITE VISIT STATE 03/24/1992 HQ - PC100 - NOTICE OF DEFICIENCY STATE 12/04/1991 Notes: LETTER OF CLARIFICATION SENT INSTEAD OF FORMAL NOD. 1 HQ - PC110 - REVISIONS RECEIVED STATE 04/16/1991 HQ - PC001PB - PART A RECEIVED-SUBMITTED WITH A PART B OR MOD STATE 02/15/1991 REQUEST

Unlinked Units - Seq. and Name

Unit Detail Sequence Numbers

No Unlinked Units

| Unlinked Events | | Event S | Seq. and Description | Resp. Agency | Actual Date | Schedule Date |
|-----------------------------------|--------------|------------|---|--------------|-------------|---------------|
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 1 | HQ-PC170 - PUBLIC HEARING | STATE | 05/30/2007 | |
| Public hearing for | Lucent Techr | ologies' D | Oraft Post-Closure Permit. No comments received. | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 2 | HQ-PC020 - POST-CLOSURE PART B RECEIVED | STATE | 04/28/2003 | |
| PC PART B REC | EIVED PER 9 | 02 CALL | IN LETTER | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 10 | HQ-PC242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT | STATE | 01/14/2002 | |
| ADDITION OF AN | N EXTRACTO | N WELL IS | S SIGNIFICANT. REFER TO REMSEL & CLASS 3MOD. | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 9 | HQ-PC242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT | STATE | 09/30/1999 | |
| AGENCY INITIAT | TED MOD-SIG | NIFICANT | Γ CHANGES. REFER TO 5-YR MOD TRACK | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 8 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 04/30/1998 | |
| CHANGE FACILI | TY CONTACT | /ADDRES | SS | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 6 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 10/23/1996 | |
| NAME CHANGE | (LUCENT) | | | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 7 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 08/06/1996 | |
| THIS UNIT IS A (| CLOSED TAN | K THAT LI | EFT GROUNDWATER CONTAMINATION | | | |

Page 21

Report run on: November 5, 2020 9:35:31 AM EST

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

| NOKIA OF AMERIC | A CORPO | RATION - | (continued) | | | NCD003213907 |
|-----------------------------------|--------------|------------|--|-------|------------|--------------|
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 5 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 08/23/1995 | |
| CHANGE EFFEC | CTIVENESS S | AMPLING 1 | O COINCIDE WITH SEMI-ANNUAL SAMPLING | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 4 | HQ-PC242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT | STATE | 08/15/1995 | |
| REMOVAL OF 4 | .34 ACRES FF | ROM PERM | ITTED FACILITY. REFER TO "MOD2-LANDREL" | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 3 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 06/29/1995 | |
| CHANGE IN OW | NERSHIP AN | D SECURIT | Y ARRANGEMENTS | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 2 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 04/17/1995 | |
| CHANGE INTER | IM COMPLIAN | NCE SCHE | DULE FROM 300 TO 390 DAYS | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 1 | HQ-PC242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT | STATE | 06/01/1994 | |
| CHANGE IN INT | ERIM COMPL | IANCE SCH | HEDULE | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 3 | NC-PC552 - CORRESPONDENCE | STATE | 06/03/1992 | |
| ACKNOWLEDG | MENT OF REC | CEIPT LETT | ER SENT TO AT&T. | | | |
| Series: 1990 AND 2003 PCPERMIT | Seq: 4 | 1 | HQ-PC020 - POST-CLOSURE PART B RECEIVED | STATE | 01/11/1990 | |
| Series: PC PLAN | Seq: 3 | 1 | HQ-PC360ME - POST-CLOSURE PLAN APPROVED - FINAL POST-CLOSURE | EPA | 09/17/1987 | |
| Series: PC PLAN | Seq: 3 | 3 | HQ-PC340CL - PUBLIC NOTICE - CLOSURE/POST-CLOSURE-CLOSURE | EPA | 09/10/1987 | |

End of Report

Page 22